

Berger Paints Bangladesh Limited

Berger House; House # 8, Road # 2, Sector # 3; Uttara Model Town, Dhaka-1230, Bangladesh

Web site: www.bergerbd.com

08000-123456

Technical Information Sheet

TexBond WETTEX



TexBond WETTEX

Low foaming detergent with extra wetting behavior

PROPERTIES

Chemical composition : Modified ethylene oxide derivatives

Appearance at 20°C : Clear thin liquid

 $\begin{array}{ll} \text{Ionic nature} & : \text{Nonionic} \\ \text{pH (1\% aqueous solution)} & : 7.5 \pm 0.5 \\ \end{array}$

Compatibility : Good with acids, alkalis, nonionic and anionic products

C3

FEATURES

- APEO free, Non-hazardous and biodegradable.
- Low foaming
- High temperature stable because of higher cloud point
- Suitable for jet, over-flow and machines with high bath turbulence
- Possesses a large number of ether linkages, which are basically strong and are not broken by dilute acids or alkalis
- Does not impart any harmful effect to the subsequent dyeing and finishing processes
- Quite compatible with the anionic or cationic products

TYPICAL USAGE

| Method | Dosage (g/I) | Product |
|--------------------------|--------------|----------------|
| Exhaustion- short liquor | 1.0 - 3.0 | TexBond WETTEX |
| Exhaustion- long liquor | 0.5 - 0.7 | TexBond WETTEX |
| Padding | 5.0 - 8.0 | TexBond WETTEX |
| After-soaping | 0.5 - 1.0 | TexBond WETTEX |

PACKING 60 kg & 120 kg HDPE containers

STORAGE Store in well-closed containers at temperatures of 20-25 °C, and

is stable for at least 6 months

TRANSPORT Product is not classified as hazardous